

Data source: 2008 Data Update as of February 2010

Go To New Report



Instructions for

Release:
Facility Report
[Go to TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010



TRI Explorer - TRI Explorer (ver 5.01) - EPA Home | TRI | TRI Explorer(ver 5.01) | Go To New Report | Instructions for TRI Explorer

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Go To New Report](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#) | [Instructions for TRI Explorer](#)


No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for All Chemicals, in zip code 62882 by All Industries during 1989. (ZPFA)
Please make another report selection.

Release:

Facility Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)




[EPA Home](#) [TRI](#) [TRI Explorer\(ver 3.01\)](#) [Help](#) [About](#)

Data source: 2008 Data Update as of February 2010

[Go To New Report](#) [Instructions for](#)

Release:
Facility Report
[Go to TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010



TRI Explorer (ver 5.01) | TRI Explorer Home | TRI Explorer Reports | TRI Explorer Data | TRI Explorer Help | TRI Explorer About | TRI Explorer Contact

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | Reports

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#)[Instructions for](#)


No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for
All Chemicals, in zip code 62882 by All Industries during 1991. (ZPFA)
Please make another report selection.

Release:

Facility Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)



TRI Explorer: TRI On-site and Off-site Reported Disposed of or Otherwise Released for All Chemicals, in zip code 62882 by All Industries during 1992. (ZPFA)

[EPA Home](#) [TRI](#) [TRI Explorer\(ver 5.01\)](#) [Reports](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#) [Instructions for](#)


No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for
All Chemicals, in zip code 62882 by All Industries during 1992. (ZPFA)
Please make another report selection.

Release:

Facility Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)



TRI Explorer

[EPA Home](#) [TRI](#) [TRI Explorer\(ver 5.01\)](#) [Reports](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#)[Go To New Report](#)[Instructions for](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1993

Row #	Facility	Fugitive Stack		Total Air Emissions	Surface Water Discharges		Total Underground Injection	Total Landfills	Land Treatment/Application Farming		Total Surface Impoundments	Other Land Disposal	Total On-site Releases or Disposal		Off-site Disposal-Storage Only	Off-Site Solidification (met)
		Air	Air										to Land	Releases		
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	0	0	0	.		0	0		0	0	0	0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	0	0	0	.		0	0		0	0	0	0	0	0	0
	STYRENE (327 Stone/Clay/Glass)	0	0	0	.		0	0		0	0	0	0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	0	0	0	.		0	0		0	0	0	0	0	0	0
	Total	0	0	0	.		0	0		0	0	0	0	0	0	0

[Back to top](#)

Export this report to a text file .i

Create comma-separated values, compatible with spreadsheet and databases.

Save data in comma-separated-value, CSV, file [Send data into Microsoft Excel](#)[Download](#) all records

View other report type:

Transfers Off-site for Further Waste Management; or
Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

PDF (Acrobat Reader); or [Portrait](#); or
RTF (Microsoft Word) [Landscape](#)

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).


"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:

September 24, 2010

Facility Report

Go to [TRI Explorer Home](#) | [Go To New Report](#)



TRI Explorer

[EPA Home](#) [TRI](#) [TRI Explorer\(ver 5.01\)](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#)[Go To New Report](#)[Instructions for](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1994

Row #	Facility	Fugitive Stack		Total Air Emissions	Surface Water Discharges		Total Underground Injection	Total Landfills	Land Treatment/Application Farming		Total Surface Impoundments	Other Land Disposal	Total On-site Releases or Disposal		Off-site Disposal-Storage Only		Off-Site Solidification (met)
		Air	Air										to Land	Releases			
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	0	0	0	.		0	0		0	0	0	0	0	0	0	
	1,2,4-TRIMETHYLBENZENE (327)	0	0	0	.		0	0		0	0	0	0	0	0	0	
	Stone/Clay/Glass)																
	STYRENE (327)	0	0	0	.		0	0		0	0	0	0	0	0	0	
	Stone/Clay/Glass)																
	XYLENE (MIXED ISOMERS) (327)	0	0	0	.		0	0		0	0	0	0	0	0	0	
	Stone/Clay/Glass)																
	Total	0	0	0	.		0	0		0	0	0	0	0	0	0	

[Back to top](#)

Export this report to a text file .i

Create comma-separated values, compatible with spreadsheet and databases.

Save data in comma-separated-value, CSV, file [Send data into Microsoft Excel](#)[Download](#) all records

View other report type:

Transfers Off-site for Further Waste Management; or
Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

PDF (Acrobat Reader); or [Portrait](#); or
RTF (Microsoft Word) [Landscape](#)

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).


"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:

Facility Report

[Go to TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010

**Releases: Facility Report**

Data source: 2008 Data Update as of February 2010

See Note

Go To New Report

 Instructions for

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1995

[illegible]

[Back to top](#)

Export this report to a text file i

Create comma-separated values, compatible with spreadsheet and databases.

Save data in comma-separated-value, CSV, file Send data into Microsoft Excel

Download all records

View other report type:

Transfers Off-site for Further Waste Management: or

Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

PDF (Acrobat Reader): or Portrait: or

RTF (Microsoft Word) Landscape

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through EPA Envirofacts.

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).

"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.


Release:

September 24, 2010

Release.
Facility Report

[Go to TRI Explorer Home](#) | [Go To New Report](#)

1. $\frac{1}{2}$ 2. $\frac{1}{2}$ 3. $\frac{1}{2}$ 4. $\frac{1}{2}$ 5. $\frac{1}{2}$ 6. $\frac{1}{2}$ 7. $\frac{1}{2}$ 8. $\frac{1}{2}$ 9. $\frac{1}{2}$ 10. $\frac{1}{2}$



TRI Explorer

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Reports](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#) | [Go To New Report](#) | [Instructions for](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1996

Row #	Facility	Fugitive Air	Stack Air	Total Air Emissions	Surface Water Discharges	Underground Injection Class I Wells	Underground Injection Class II-V Wells	Total Underground Injection	RCRA Subtitle C Landfills	Other Landfills	Treatment/Application Farming	Total Surface Impoundments	Other Land Disposal	T: On Rel
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	0	0	0	.	0	0	0	0	0	0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	0	0	0	.	0	0	0	0	0	0	0	0	0
	STYRENE (327 Stone/Clay/Glass)	0	0	0	.	0	0	0	0	0	0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	0	0	0	.	0	0	0	0	0	0	0	0	0
	Total	0	0	0	.	0	0	0	0	0	0	0	0	0

[Back to top](#)

Export this report to a text file

Create comma-separated values, compatible with spreadsheet and databases.

Save data in comma-separated-value, CSV, file | [Send data into Microsoft Excel](#)

[Download](#) | all records

View other report type:

Transfers Off-site for Further Waste Management; or
Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

PDF (Acrobat Reader); or | Portrait; or
RTF (Microsoft Word) | Landscape

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).

"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:
Facility Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)

Page 1 of 1

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Reports](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#)[Go To New Report](#)[Instructions for](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1997

Row #	Facility	Fugitive Stack		Total Air Emissions	Surface Water Discharges		Underground Injection Class I Wells	Underground Injection Class II-V Wells	Total Underground Injection	RCRA Subtitle C		Other Landfills	Treatment/Land Farming	Application Impoundments	Total Surface Land Disposal	Other Land Rel.	Total On Rel.
		Air	Air		Landfills	Landfills											
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	0	0	0	.	.	0	0	0	0	0	0		0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	0	0	0	.	.	0	0	0	0	0	0		0	0	0	0
	STYRENE (327 Stone/Clay/Glass)	0	0	0	.	.	0	0	0	0	0	0		0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	0	0	0	.	.	0	0	0	0	0	0		0	0	0	0
	Total	0	0	0	.	.	0	0	0	0	0	0		0	0	0	0

[Back to top](#)

Export this report to a text file

Create comma-separated values, compatible with spreadsheet and databases.

Save data in comma-separated-value, CSV, file | [Send data into Microsoft Excel](#)[Download](#) | all records

View other report type:

- Transfers Off-site for Further Waste Management; or
- Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

- PDF (Acrobat Reader); or
- Portrait; or
- RTF (Microsoft Word)
- Landscape

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).


"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:

Facility Report

[Go to TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010



EPA TRI Explorer Report (ZPFA) | US EPA | TRI Explorer (ver 5.01) | Report

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Report](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#) | [Go To New Report](#) | [Instructions for print](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1998

Row #	Facility	Fugitive Air	Stack Air	Total Air Emissions	Surface Water Discharges	Underground Injection Class I Wells	Underground Injection Class II-V Wells	Total Underground Injection	RCRA Subtitle C Landfills	Other Landfills	Treatment/Application Farming	Total Surface Impoundments	Other Land Disposal	To On-Rel
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS. 530 MADISON AVE. JUNCTION CITY, Illinois 62882 (MARION)	22,600	0	22,600	.	0	0	0	0	0	0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	4,800	0	4,800	.	0	0	0	0	0	0	0	0	0
	CUMENE (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	DICHLOROMETHANE (327 Stone/Clay/Glass)	11,000	0	11,000	.	0	0	0	0	0	0	0	0	0
	DIISOCYANATES (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	ETHYLBENZENE (327 Stone/Clay/Glass)	1,300	0	1,300	.	0	0	0	0	0	0	0	0	0
	STYRENE (327 Stone/Clay/Glass)	4,200	0	4,200	.	0	0	0	0	0	0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	1,300	0	1,300	.	0	0	0	0	0	0	0	0	0
	Total	22,600	0	22,600	.	0	0	0	0	0	0	0	0	0

[Back to top](#)

Export this report to a text file

Create comma-separated values, compatible with spreadsheet and databases.

[Save data in comma-separated-value, CSV, file](#) | [Send data into Microsoft Excel](#)[Download](#) all records

View other report type:

[Transfers Off-site for Further Waste Management;](#) or
[Quantities of TRI Chemicals in Waste \(waste management\)](#)

View report in other formats: Page Orientation:

[PDF \(Acrobat Reader\);](#) or [Portrait;](#) or
[RTF \(Microsoft Word\)](#) | [Landscape](#)

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).

"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.


Release:

Facility Report

September 24, 2010

[Go to TRI Explorer Home](#) | [Go To New Report](#)

EPA TRI Explorer



TRI Explorer

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Reports](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#)[Go To New Report](#)[Instructions for pri](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 1999

Row #	Facility	Fugitive Air	Stack Air	Total Air Emissions	Surface Water Discharges	Underground Injection Class I Wells	Underground Injection Class II-V Wells	Total Underground Injection	RCRA Subtitle C Landfills	Other Landfills	Land Treatment/Application Farming	Total Surface Impoundments	Other Land Disposal	To On-Rel
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	22,600	0	22,600	.	0	0	0	0	0	0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	4,800	0	4,800	.	0	0	0	0	0	0	0	0	0
	CUMENE (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	DICHLOROMETHANE (327 Stone/Clay/Glass)	11,000	0	11,000	.	0	0	0	0	0	0	0	0	0
	DIISOCYANATES (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	ETHYLBENZENE (327 Stone/Clay/Glass)	1,300	0	1,300	.	0	0	0	0	0	0	0	0	0
	STYRENE (327 Stone/Clay/Glass)	4,200	0	4,200	.	0	0	0	0	0	0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	1,300	0	1,300	.	0	0	0	0	0	0	0	0	0
	Total	22,600	0	22,600	.	0	0	0	0	0	0	0	0	0

[Back to top](#)

Export this report to a text file

Create comma-separated values, compatible with spreadsheet and databases.

☐ Save data in comma-separated-value, CSV, file ☐ Send data into Microsoft Excel all records

View other report type:

☐ Transfers Off-site for Further Waste Management; or
☐ Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

☐ PDF (Acrobat Reader); or ☐ Portrait; or
☐ RTF (Microsoft Word) ☐ Landscape

Note:Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#).

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).

"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.


Release:

Facility Report

[Go to TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010

Page 1 of 1



TRI Explorer

[EPA Home](#) [TRI](#) [TRI Explorer\(ver 5.01\)](#) [Report](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#) [Go To New Report](#) [Instructions for](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 2000

Row #	Facility	Fugitive Air	Stack Air	Total Air Emissions	Surface Water Discharges	Underground Injection Class I Wells	Underground Injection Class II-V Wells	Total Underground Injection	RCRA Subtitle C Landfills	Other Landfills	Treatment/Application Farming	Total Surface Impoundments	Other Land Disposal
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	14,300	0	14,300	.	0	0	0	0	0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	4,800	0	4,800	.	0	0	0	0	0	0	0	0
	ALUMINUM OXIDE (FIBROUS FORMS) (327 Stone/Clay/Glass)	750	0	750	.	0	0	0	0	0	0	0	0
	BARIUM COMPOUNDS (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	CUMENE (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	DICHLOROMETHANE (327 Stone/Clay/Glass)	3,500	0	3,500	.	0	0	0	0	0	0	0	0
	DIISOCYANATES (327 Stone/Clay/Glass)	750	0	750	.	0	0	0	0	0	0	0	0
	ETHYLBENZENE (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	STYRENE (327 Stone/Clay/Glass)	2,300	0	2,300	.	0	0	0	0	0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	2,200	0	2,200	.	0	0	0	0	0	0	0	0
	Total	14,300	0	14,300	.	0	0	0	0	0	0	0	0

[Back to top](#)

Export this report to a text file :

Create comma-separated values, compatible with spreadsheet and databases.

[Save data in comma-separated-value, CSV, file](#) [Send data into Microsoft Excel](#)[Download](#) all records

View other report type:

[Transfers Off-site for Further Waste Management; or](#)
[Quantities of TRI Chemicals in Waste \(waste management\)](#)

View report in other formats: Page Orientation:

[PDF \(Acrobat Reader\); or](#) [Portrait; or](#)
[RTF \(Microsoft Word\)](#) [Landscape](#)

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).

"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are

not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.


Release:

Facility Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)

00000000



This report was generated on 09/24/2010 at 10:08 AM. The data was last updated on 02/24/2010. The report was generated by the TRI Explorer (ver 5.01) and the data was last updated on 02/24/2010.

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#)

Releases: Facility Report

Data source: 2008 Data Update as of February 2010

[See Note](#) | [Go To New Report](#) | [Instructions for print](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 2001

Row #	Facility	Fugitive Air	Stack Air	Total Air Emissions	Surface Water Discharges	Underground Injection Class I Wells	Underground Injection Class II-V Wells	Total Underground Injection	RCRA Subtitle C Landfills	Other Landfills	Land Treatment/Application Farming	Total Surface Impoundments	Other Land Disposal	To On-Release
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	14,800	0	14,800	.	0	0	0	0	0	0	0	0	0
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	4,800	0	4,800	.	0	0	0	0	0	0	0	0	0
	CUMENE (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	DICHLOROMETHANE (327 Stone/Clay/Glass)	4,200	0	4,200	.	0	0	0	0	0	0	0	0	0
	DIISOCYANATES (327 Stone/Clay/Glass)	800	0	800	.	0	0	0	0	0	0	0	0	0
	ETHYLBENZENE (327 Stone/Clay/Glass)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	STYRENE (327 Stone/Clay/Glass)	2,800	0	2,800	.	0	0	0	0	0	0	0	0	0
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	2,200	0	2,200	.	0	0	0	0	0	0	0	0	0
	Total	14,800	0	14,800	.	0	0	0	0	0	0	0	0	0

[Back to top](#)

Export this report to a text file :

Create comma-separated values, compatible with spreadsheet and databases.

☒ Save data in comma-separated-value, CSV, file ☐ Send data into Microsoft Excel[Download](#) | all records

View other report type:

☐ Transfers Off-site for Further Waste Management; or
☐ Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

☒ PDF (Acrobat Reader); or ☐ Portrait; or
☐ RTF (Microsoft Word) ☐ Landscape

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that


the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).

"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:
Facility Report

September 24, 2010

[Go to TRI Explorer Home](#) | [Go To New Report](#)



Releases: Facility Report

Detail columns are collapsed by default. Click the [\[+\]](#) icon to view additional columns. Use your Browser back feature to collapse.

Data source: 2008 Data Update as of February 2010

[See Note](#) [Go To New Report](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 2002

Row #	Facility	Total On-site Disposal or Other Releases	Total Off-site Disposal or Other Releases	Total On- and Off-site Disposal or Other Releases
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS. 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)	13,950	0	13,950
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)	4,300	0	4,300
	ALUMINUM OXIDE (FIBROUS FORMS) (327 Stone/Clay/Glass)	500	0	500
	BARIUM COMPOUNDS (327 Stone/Clay/Glass)	NA	NA	NA
	CUMENE (327 Stone/Clay/Glass)	NA	NA	NA
	DICHLOROMETHANE (327 Stone/Clay/Glass)	3,800	0	3,800
	DIISOCYANATES (327 Stone/Clay/Glass)	750	0	750
	ETHYLBENZENE (327 Stone/Clay/Glass)	NA	NA	NA
	STYRENE (327 Stone/Clay/Glass)	2,500	0	2,500
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)	2,100	0	2,100
	Total	13,950	0	13,950

[Back to top](#)

Export this report to a text file

Create comma-separated values, compatible with spreadsheet and databases.

- Save data in comma-separated-value, CSV, file - Send data into Microsoft Excel

[Download](#) all records

View other report type:

Transfers Off-site for Further Waste Management; or
Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

- PDF (Acrobat Reader); or - Portrait; or
RTF (Microsoft Word) Landscape

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), Surface Impoundments (5.5.3) and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Underground Injection (M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Compounds only (M62 or M61), Surface Impoundments (M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).


"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:

Facility Report

Go to [TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010



TRI Explorer

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Help](#)

Releases: Facility Report

Detail columns are collapsed by default. Click the icon to view additional columns. Use your Browser back feature to collapse.

Data source: 2008 Data Update as of February 2010

[See Note](#)
[Go To New Report](#)

TRI On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), for facilities in All Industries, for All Chemicals, zip code 62882 in Illinois, 2003

Row #	Facility	Total On-site Disposal or Other Releases		Total Off-site Disposal or Other Releases		Total On- and Off-site Disposal or Other Releases
		1.1.3	1.1.4	2.1.3	2.1.4	
1	DAYTON SUPERIOR SPECIALTY CHEMICAL CORP. SYMONS, 530 MADISON AVE, JUNCTION CITY, Illinois 62882 (MARION)		1,000		0	1,000
	1,2,4-TRIMETHYLBENZENE (327 Stone/Clay/Glass)		250		0	250
	ALUMINUM OXIDE (FIBROUS FORMS) (327 Stone/Clay/Glass)		250		0	250
	BARIUM COMPOUNDS (327 Stone/Clay/Glass)		NA		NA	NA
	CUMENE (327 Stone/Clay/Glass)		NA		NA	NA
	DICHLOROMETHANE (327 Stone/Clay/Glass)		NA		NA	NA
	DIIISOCYANATES (327 Stone/Clay/Glass)		NA		NA	NA
	ETHYLBENZENE (327 Stone/Clay/Glass)		NA		NA	NA
	STYRENE (327 Stone/Clay/Glass)		250		0	250
	XYLENE (MIXED ISOMERS) (327 Stone/Clay/Glass)		250		0	250
	Total		1,000		0	1,000

[Back to top](#)

Export this report to a text file

Create comma-separated values, compatible with spreadsheet and databases.

Save data in comma-separated-value, CSV, file Send data into Microsoft Excel

[Download](#) all records

View other report type:

Transfers Off-site for Further Waste Management; or
Quantities of TRI Chemicals in Waste (waste management)

View report in other formats: Page Orientation:

PDF (Acrobat Reader); or Portrait; or
RTF (Microsoft Word) Landscape

Note: Reporting year (RY) 2008 is the most recent TRI data available. Facilities reporting to TRI were required to submit RY 2008 data to EPA by July 1, 2009. TRI Explorer is using an interim data set that includes revisions submitted to EPA as of February 2010 for the years 1988 to 2008 (i.e., revisions submitted to EPA after this time are not reflected in TRI Explorer reports). TRI data may also be obtained through [EPA Envirofacts](#)

Users of TRI information should be aware that TRI data reflect releases and other waste management activities of chemicals, not whether (or to what degree) the public has been exposed to those chemicals. Release estimates alone are not sufficient to determine exposure or to calculate potential adverse effects on human health and the environment. TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and other waste management activities which involve toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical, and the amount and duration of human or other exposure to the chemical after it is released.

Off-site disposal or other releases include transfers sent to other TRI Facilities that reported the amount as on-site disposal or other release because not all states and/or not all industry sectors are included in this report.

On-site Disposal or Other Releases include Underground Injection to Class I Wells (Section 5.4.1), RCRA Subtitle C Landfills (5.5.1A), Other Landfills (5.5.1B), Fugitive or Non-point Air Emissions (5.1), Stack or Point Air Emissions (5.2), Surface Water Discharges (5.3), Underground Injection to Class II-V Wells (5.4.2), Land Treatment/Application Farming (5.5.2), RCRA Subtitle C Surface Impoundments (5.5.3A), Other Surface Impoundments (5.5.3B), and Other Land Disposal (5.5.4). Off-site Disposal or Other Releases include from Section 6.2 Class I Underground Injection Wells (M81), Class II-V Underground Injection Wells (M82, M71), RCRA Subtitle C Landfills (M65), Other Landfills (M64, M72), Storage Only (M10), Solidification/Stabilization - Metals and Metal Category Compounds only (M41 or M40), Wastewater Treatment (excluding POTWs) - Metals and Metal Category Compounds only (M62 or M61), RCRA Subtitle C Surface Impoundments (M66), Other Surface Impoundments (M67, M63), Land Treatment (M73), Other Land Disposal (M79), Other Off-site Management (M90), Transfers to Waste Broker - Disposal (M94, M91), and Unknown (M99) and, from Section 6.1 Transfers to POTWs (metals and metal category compounds only).

For purposes of analysis, data reported as Range Code A is calculated using a value of 5 pounds, Range Code B is calculated using a value of 250 pounds and Range Code C is calculated using a value of 750 pounds.

The facility may have reported multiple NAICS codes to TRI in the current reporting year. See the facility profile report by clicking on the facility name to see a list of all NAICS codes submitted to TRI for the current reporting year.

A decimal point, or ".", denotes that

the facility left that particular cell blank in its Form R submission (a zero in a cell denotes either that the facility reported "0" or "NA" in its Form R submission).


"NA" in a cell denotes that the facility has submitted only Form A and thus the data for release, waste transfers or quantities of TRI chemicals in waste are not applicable. By submitting a Form A the facility has certified that its total annual reportable amount is less than 500 pounds, and that the facility does not manufacture, process, or otherwise use more than 1 million pounds of the toxic chemical.

Release:

Facility Report

Go to [TRI Explorer Home](#) | [Go To New Report](#)

September 24, 2010

TRI Explorer(ver 5.01) - 2004 Data Update as of February 2010
URL: http://www.epa.gov/cgi-bin/lookup.cgi?trilib=TRIQ1&sort=_VIEW_&sort_fmt=1[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Report](#)

Releases: Chemical Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#)


No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for
All Chemicals, in zip code 62882 by All Industries during 2004. (ZPCH)
Please make another report selection.

Release:
Chemical Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)

[10/24/2010](#)



TRI Explorer Data: 2005 Data by TRI ID: PELLBY004-154536, Version: 4.0.0.0, Data Update as of February 2010

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | Reports

Releases: Chemical Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#)


No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for
All Chemicals, in zip code 62882 by All Industries during 2005. (ZPCH)
Please make another report selection.

Release:
Chemical Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)

EPA/600/R-10/001

TRI Explorer
EPA TRI Explorer (ver 5.01) Reports[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | Reports

Releases: Chemical Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#)

No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for


All Chemicals, in zip code 62882 by All Industries during 2006. (ZPCH)

Please make another report selection.

Release:
Chemical Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)



TRI Explorer

Service=All-Chemicals;All-Ind;All-Off-year=2007;tab_rpt=1&fld=RELLBY&fld=TSFDSP&_service=class;_page=report;_url=trilib;_tril=ZPCH;_trilid=1

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.01\)](#) | [Reports](#)

Releases: Chemical Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#)


No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for
All Chemicals, in zip code 62882 by All Industries during 2007. (ZPCH)
Please make another report selection.

Release:
Chemical Report

September 24, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)

[Print Report](#)



TRI Explorer - County - 62882 - ZIP Code - 62882 - Chemical - ALL - Industry - All - Release Date - 2008 - Report Type - TRI

[EPA Home](#) | [TRI](#) | [TRI Explorer\(ver 5.0\)](#) | [Reports](#)

Releases: Chemical Report

Data source: 2008 Data Update as of February 2010

[Go To New Report](#)

No data for TRI On-site and Off-site Reported Disposed of or Otherwise Released for
All Chemicals, in zip code 62882 by All Industries during 2008. (ZPCH)
Please make another report selection.

Release:
Chemical Report

July 19, 2010

Go to [TRI Explorer Home](#) | [Go To New Report](#)